

NHS 2010 Conference

June 8 - 10

Tuesday, June 8, 2010

Tuesday, June 8, 2010					
09:00 - 14:00	Registration				
	<i>Room AIDA</i>	<i>Room BOHEME</i>	<i>Room CARMEN</i>	<i>Room DON GIOVANNI</i>	<i>Room ERNANI</i>
14:00 - 14:15	Welcome - F. Grandori, D. Hayes	-	-	-	-
14:15 - 15:30	Keynote Address Plasticity, Development and Re-organization of Central Auditory System in children with Hearing Impairment Anu Sharma	-	-	-	-
15:30 - 16:00	International Perspective	Speech Production	Wideband Energy Reflectance	Counseling and Adjustment	Auditory Verbal Therapy
16:00 - 16:30	break				
16:30 - 18:30	Screening Newborns	Hearing Aids	Widex Special Event Mild hearing loss in childhood – consequences and intervention strategies	Developing EHDl Systems	<i>UK NHSP WORKSHOPS</i> Delivering an effective screening programme: measuring quality throughout the full care pathway - safety, effectiveness and the parent experience

Wednesday, June 9, 2010

Wednesday, June 9, 2010					
	<i>Room AIDA</i>	<i>Room BOHEME</i>	<i>Room CARMEN</i>	<i>Room DON GIOVANNI</i>	<i>Room ERNANI - UK NHSP WORKSHOPS</i>
09:00 - 10:30	Etiology of Childhood Deafness	Auditory Findings in Infants	Screening - Novel Approaches	Special Session Recommended Family Support Practice in UNHS: A Position Paper from the GPOD International Family Survey	Delivering an effective screening programme: the practical challenges and measures of success in early hearing aid fitting
10:30 - 11:00	break		break		
11:00 - 12:30	Genetics of Hearing loss	10:30 - 13:45 OTICON Paediatric Symposium	EHDl Systems I	Focus on Families	Delivering an effective screening programme: ABR interpretation and quality assurance mechanisms
12:30 - 13:45	lunch		lunch		
13:45 - 15:00	Hearing Loss and Confounding Factors	Special Session International Report on EHDl Programs: reports from the CDC/National Center on Birth Defects and Developmental Disabilities (EHDl Team) and the IGCH	Cochlear Implants	Technology Update	Delivering an effective screening programme: how good are your screeners?
15:00 - 16:00					Delivering an effective screening programme: risks and failsafes
16:00 - 16:30	break				
16:30 - 18:00	poster session				
19.30	social event				

Thursday, June 10, 2010

Thursday, June 10, 2010					
	<i>Room AIDA</i>	<i>Room BOHEME</i>	<i>Room CARMEN</i>	<i>Room DON GIOVANNI</i>	<i>Room ERNANI - UK NHSP WORKSHOPS</i>
09:00 - 10:30	Auditory Neuropathy	Child Outcomes	Special Session Mind the Gap: from Screening to Cochlear Implantation Co-chairs: O'Donoghue GM, Davis A	Early Intervention	Delivering an effective screening programme: the medical management of early identified infants with hearing loss
10:30 - 11:00	break				
11:00 - 11:30	Cortical Evoked Potentials	Special Session "She'll Hear the Music Like the Other Girls, Right?" Audiologic Counseling, or When NOT to Answer a Question - English K	EFAS General Assembly	EHDl Systems II	Delivering an effective screening programme: measuring quality throughout the full care pathway – safety, effectiveness and the parent experience
11:30 - 12:00		Professional Training and Support			
12:00 - 13:00	New Techniques	end			

Tuesday, June 8

June 8 - ROOM AIDA

14:00 - 14:15	Welcome - F. Grandori, D. Hayes
14:15 - 15:30	Keynote Address Plasticity, Development and Re-organization of Central Auditory System in children with Hearing Impairment - Anu Sharma

International Perspective

15:30 - 16:00	15:30 - 15:45	Guiding principles on Newborn Hearing Screening recommended by a WHO expert group Grandori F
	15:45 - 16:00	Reporting EHCI Data: Past, Present and Future - Gaffney M, Holstrum WJ, Mason C

16.00 - 16.30	break
---------------	-------

Screening Newborns

16:30 - 18:30	16:30 - 16:45	Results and analysis of 113996 hearing screening tests in newborns in Flanders - Van Kerschaver E
	16:45 - 17:00	Age at neonatal hearing screening and test result - van der Ploeg CPB, Hille ETM, Uilenburg NN, Meuwese A, Verkerk PH
	17:00 - 17:15	Outcomes of children with mild to severe hearing loss: A longitudinal multi-center study - Harrison M, Roush P
	17:15 - 17:30	NHS program in a developing country: outcomes from 49199 babies screened in Sao Paulo, Brazil - Chapchap MJ, Ribeiro FM
	17:30 - 17:45	A three years experience of an outpatient hearing screening program for neonates - Lima MCMP, Françoço MFC, Rossi TRF, Santos MFC, Silveira F
	17:45 - 18:00	Hearing impairment in NICU graduates - Daniel LM, Yeoh A, Hee K, Tan HKK, Lim SB
	18:00 - 18:15	Hearing screening at the Neonatal Intensive Care Unit (NICU). Normative ABR latency values. Incidence of the risk factors for congenital hearing loss - Verhaegen K, Zarowski A, Verstraeten N, Schatteman I, Verstreken M, Vandeputte Ch, Offeciers E
	18:15 - 18:30	Newborn hearing screening; who is lost and who is found? - Korver AMH, Konings S, Meuwese-Jongejeugd J, van Straaten HLM, Uilenburg NN, Dekker FW, Wever CC, Frijns JHM, Oudesluys-Murphy AM

June 8 - ROOM BOHEME

Speech Production

15:30 - 16:00	15:30 - 15:45	Benefits of early hearing screening strategies on spoken language abilities : results from the DECIBEL study in The Netherlands - Beers W, Wever CC, Korver AMH, Soede W, Oudesluys-Murphy AM, Frijns JHM
	15:45 - 16:00	A comparison between the articulation of Dutch children using cochlear implants and children using hearing aids - Baudonck N, Dhooge I, Corthals P, D'haeseleer E, Van Lierde K

16.00 - 16.30

break

Hearing Aids

16:30 - 18:30	16:30 - 16:45	Evaluation of Frequency Compression effects on Young Children with hearing loss Using Aided Cortical Evoked Potentials - Ching TYC, Zhang VW, Hou S, Wong A, Chang H, Pearce W, Brower A, Krynda G
	16:45 - 17:00	Factors affecting hearing aid use, benefit and satisfaction for Australian children - King AM, Oong R
	17:00 - 17:15	From Good to Great: The benefits of non-linear frequency compression for children with moderate hearing loss - Wolfe J, John A, Nyffeler M
	17:15 - 17:30	Hearing aid trials in pediatric cochlear implantation - Tonini R, Swain B, Sung A, Lin J, Emery C, Baker D, Haymond J, Oghalai JS
	17:30 - 17:45	Impact of early amplification on spoken language abilities : results from the DECIBEL study in The Netherlands - Soede W, Wever CC, Korver AMH, Beers W, Oudesluys-Murphy AM, Frijns JHM
	17:45 - 18:00	High frequency hearing loss and hearing aids in children - Tani A, Patelli I
	18:00 - 18:15	Developing a clinical test battery to assess benefits of amplification in infants with hearing loss - Van Riper LA, VanDerHeyden C, French R
	18:15 - 18:30	Helping Families Accept Technology - Madell JR

June 8 - ROOM CARMEN

Wideband Energy Reflectance

15:30 - 16:00	15:30 - 15:45	Wideband reflectance in newborns: Normative regions and relationship to hearing screening results - Hunter L, Feeney P, Lapsley Miller J, Jeng P, Bohning S
	15:45 - 16:00	Longitudinal investigation of middle ear function using wideband energy reflectance and multi-frequency tympanometry from birth to 6 months of age - Shahnaz N, Cai A, Qi L

16.00 - 16.30	break
---------------	-------

16:30 - 18:30	Widex Special Event
---------------	----------------------------

June 8 - ROOM DON GIOVANNI

Counseling and Adjustment

15:30 - 16:00	15:30 - 15:45	The CARE Project: Counseling, Audiologic Rehabilitation and Education - Sexton J
	15:45 - 16:00	Emotional Adjustment and Life Long Empowerment - Reardon G, Keenan R

16.00 - 16.30	break
---------------	-------

Developing EHDI Systems

16:30 - 18:30	16:30 - 16:45	Emerging evidence on the contextual factors for effective EHDI in Sub-Saharan Africa - Olusanya B
	16:45 - 17:00	Newborn Hearing Screening around the World: A Report of the Audiology Committee of the International Association of Logopedics and Phoniatrics - Neumann K, Boettcher P, Bu X, Chiong C, Gramß M, Herer G, Holgers KM, Hoth S, Leigh G, Lewis D, Li X, Mikic B, Newall A, Newall J, Newall P, Rangasayee RR, Sharma A, Thomson V
	17:00 - 17:15	Developing Early Hearing Detection and Intervention (EHDI) Systems in the Pacific Micronesian Islands - Sablan V, Mason C, Holstrum WJ
	17:15 - 17:30	Second National Report of EHDI on Iran - Firoozbakht M, Noparast Z, Ansari-Dezfouli M, Mahmodian S, Arabi N, Kavehzadeh F, Esmailzadeh
	17:30 - 17:45	Community Hearing Outreach Project in South African Townships - Venter CE
	17:45 - 18:00	School Based Hearing Screening in Nicaragua: Challenges and Initial Results - Saunders JE, Weaver T, Mojica K
	18:00 - 18:15	Analysis of hearing screening results in Beijing - Huang L-H, Han D-M, Mo L-Y, Zhang H, Cheng X-H, Qi B-E, Liu H, Yang Y-L, Tang X-Q
	18:15 - 18:30	Prioritising 'Developing EHDI' systems: a global priority - Swanepoel DW, Störbeck C

June 8 - ROOM ERNANI

Aitory Verbal Therapy

15.30 - 16.00	15.30 - 15.45	Is Auditory-Verbal Therapy Effective for Children with Hearing Loss? A longitudinal study of speech perception, speech, language, reading, mathematics and self esteem outcomes - Dornan D, Hickson L, Murdoch B, Houston T, Constantinescu G
	15.45 - 16.00	Bridging the Distance – The Hear and Say Outreach Program - Ryan M, Brown J, Comas N, Close L

16:30 - 18:30

UK NHSP WORKSHOPS

Delivering an effective screening programme: measuring quality throughout the full care pathway - safety, effectiveness and the parent experience

Wednesday, June 9

June 9 - ROOM AIDA

Etiology of Childhood Deafness

09:00 - 10:30	09:00 - 09:15	Multidisciplinary aetiological investigation of bilateral neonatal sensorineural hearing loss in a Center for Diagnostics of Sensorineural hearing loss - Goverts ST, Kordenoordt S van, Simis YJW, Mulder MF, Kamp JM van der, Smits C, Merkus P
	09:15 - 09:30	Permanent Childhood Hearing Impairment: The proportions attributed to the aetiology - Korver AMH, Admiraal RA, Kant SG, Dekker FW, Konings S, Kunst H, Frijns JHM, Oudesluys-Murphy AM
	09:30 - 09:45	Congenital cytomegalovirus infection and newborn hearing screening: interim findings on etiology of hearing loss from the National Institute on Deafness and Other Communication Disorders (NIDCD) cytomegalovirus & hearing multicenter (CHIMES) study - Fowler KB, McCollister FP, Tolan RW, Ahmed A, Palmer AL, Michaels MG, Bernstein DI, Sanchez PJ, Boppana SB
	09:45 - 10:00	DECIBEL study: Congenital cytomegalovirus infection in young children with permanent bilateral hearing impairment in the Netherlands - Korver AMH, de Vries JJC, Konings S, de Jong JW, Dekker FW, Vossen ACTM, Frijns JHM, Oudesluys-Murphy AM, the DECIBEL collaborative study group
	10:00 - 10:15	Yield of aetiological medical investigations of unilateral hearing loss detected by newborn hearing screening - Ratnayake SAB, MacArdle B, Harrop-Griffiths K
	10:15 - 10:30	Frequency of GJB2 gene mutations among patients with other risk factors for hearing loss (HI) - Skorka A, Pollak A, Lechowicz U, Malesińska M, Oldak M, Skarzynski H, Korniszewski L, Ploski R

10:30 - 11:00

break

June 9 - ROOM AIDA

Genetics of Hearing loss

11:00 - 12:30	11:00 - 11:15	Susceptibility mutations and aminoglycoside-induced deafness in high-risk newborns - Sartorato EL, Andrade PB, de Moraes VCS, Câmara MFS
	11:15 - 11:30	Recessive non-syndromic prelingual hearing impairment, GJB2 mutation spectrum in cochlear implant patients - Birkenhäger R, Aschendorff A, Arndt S, Maier M, Löhle E, Laszig R
	11:30 - 11:45	Genotype-phenotype correlation of GJB2 mutations in newborn infants ascertained from the universal newborn hearing screening program: An approach to overcome ascertainment bias - Yang T, Ma Y, Li Y, Tao Z, Huang Z, Li X, Chai Y, Ouyang Z, Shen X, Wu H
	11:45 - 12:00	Spectrum of mutations in the gene of the Otoferlina (OTOF) in Argentine patients with NSHL auditory neuropathy- results in cochlear implants - Curet C, Barteik ME, Reynoso R, Moreno Barral J, Martín M, Salvadores MI
	12:00 - 12:15	Frequency of tRNA ^{Leu} (mtDNA) mutations among patients with hearing impairment - Pronicka K, Lechowicz U, Pollak A, Skórka A, Oldak M, Skarzynski H, Pronicka E, Korniszewski L, Płoski R
	12:15 - 12:30	Mutation Matched Chromosome Pool Analysis (MMCPA) as a novel method of search for novel mutations: Validation and application to search for unknown mutation in GJB2 region among hearing impaired - Pollak A, Skórka A, Lechowicz U, Malesińska M, Oldak M, Skarzynski H, Korniszewski L, Płoski R

12:30 - 13:45

lunch

Hearing Loss and Confounding Factors

13:45 - 16:00	13:45 - 14:00	UNHS: Effective in Early Identification of Cochlear Implant Candidates? - Young N, Reilly B, Burke L
	14:00 - 14:15	Minimal Hearing Loss – Diagnosis to Intervention - Ross DS, Holstrum WJ, Gaffney M
	14:15 - 14:30	Evaluating the success of audiological follow-up of a large cohort of high risk for hearing loss babies between 24-30 months of age: What are the indicators? - McInerney M, Lieber C, Uhl B, Bodkin K, Tobin B
	14:30 - 14:45	Aetiologies and outcomes in implanted children with Autism Spectrum Disorder - Charlton MP
	14:45 - 15:00	Cisplatin induced hearing loss in children - Mikić B, Andrić-Filipović S, Mikić M, Ostojić S
	15:00 - 15:15	Audiologic profiles, identification and management of children with mild bilateral and unilateral hearing loss - Fitzpatrick E, Durieux-Smith A, Whittingham J
	15:15 - 15:30	Hearing Loss in Medically Fragile Infants and Young Children - Culpepper B
	15:30 - 15:45	Retrocochlear hearing loss in infants: A Case Study of Juvenile Pilocytic Astrocytoma - Nachman A
	15:45 - 16:00	Hearing care in cystic fibrosis post neonatal screening: A survey of practice - Bera V

16:00 - 16:30

break

16:30 - 18:00

Poster Session

June 9 - ROOM BOHEME

Auditory Findings in Infants

09:00 - 10:30	09:00 - 09:15	Evidence for lateral asymmetry in early auditory development - Sininger YS, Cone B
	09:15 - 09:30	Lateral asymmetry in medial olivocochlear function in human infants - Saxena U, Tripathy R, Rajalakshmi K
	09:30 - 09:45	Maturation of the occlusion effect: an auditory steady-state response study in infants with normal hearing - Small SA, Hu N
	09:45 - 10:00	Development of Tone-pip Auditory Brainstem Responses and Auditory Steady-state Responses between 0~6 Months Infant - Lin Q, Wang Y, Li X, Chi Y, Nie W, Xiang L, Li Y
	10:00 - 10:15	Repeated audiological diagnostic assessments in infants - Willis-Lorrier RMS, Brocaar MP, Homans NC, Toll MS, Verschuure J
	10:15 - 10:30	Test-retest reproducibility of the 1000 Hz tympanometry in newborn and 6-week-old healthy infants - Mazlan R, Kei J, Hickson L, Gavranich J, Linning R

10:30 - 13:45

OTICON Paediatric Symposium

Special Session

International Report on EHDI Programs: reports from the CDC/National Center on Birth Defects and Developmental Disabilities (EHDI Team) and the IGCH

13:45 - 16:00

13:45 - 13:50	Introduction to International Working Group on Childhood Hearing EHDI survey - Tognola G (Italy)
13:50 - 14:05	Reports from the CDC/National Center on Birth Defects and Developmental Disabilities (EHDI Team) - Eichwald J (USA)
14:05 - 14:10	Early Hearing Intervention in Norway - Landsvik B, Tvette OE, Wingaard L (Norway)
14:10 - 14:15	Audiological screening of newborns and early detection of hereditary hearing loss - Markova TG, Lalayants MR, Brazhkina NB, Gvelesiani TG, Tavartkiladze GA (Russia)
14:15 - 14:20	Newborn Hearing Screening in England: an update - Wood SA, Davis AC (UK - England)
14:20 - 14:25	Newborn Hearing Screening in Wales, UK - Minchom S, Evans J (UK - Wales)
14:25 - 14:30	NHS in the Netherlands; still going strong - Uilenburg N, van der Ploeg K, Rijpma A, Verkerk P, Meuwese A (The Netherlands)
14:30 - 14:35	Evaluation of the two stage AABR hearing screening programme in Dutch NICU's in 2008 - van Straaten HLM, van Dommelen P, Verkerk PH (The Netherlands)
14:35 - 14:40	Polish Universal Neonatal Hearing Screening Program – 7 year experience - Szyfter W, Wrobel M (Poland)
14:40 - 14:45	Neonatal hearing screening in the French Community of Belgium: lessons from a 3-year experience - Vos B, Lagasse R (Belgium - French Community)
14:45 - 14:50	Newborn hearing screening in France: the experience of the Region Centre - Robier A, Pondaven S, Lescanne E (France)
14:50 - 14:55	An update of Newborn Hearing Screening in Austria after first implementation in 1995 - Nekahm-Heis D, Stephan K (Austria)
14:55 - 15:00	The outcome of neonatal hearing screening at University Medical Center Ljubljana - Geczy B, Vatovec J (Slovenia)
15:00 - 15:05	National program of universal neonatal hearing screening in Croatia - results, problems, perspectives - Marn B (Croatia)

June 9 - ROOM BOHEME

13:45 - 16:00	15:05 - 15:10	Universal Newborn Hearing Screening in Portugal, 2010. L. Monteiro (Portugal)
	15:10 - 15:15	Neonatal Hearing Screening in Malta--A Service on the Horizon - Pace Balzan E, Fenech AJ (Malta)
	15:15- 15:20	Neonatal hearing screening program in Albania; Audiologic risk factors - Qirjazi B, Xhokaxhi E (Albania)
	15:20 - 15:25	Monitoring Diagnosis and Early Intervention following Universal Hearing Screening: the Cyprus Experience - Thodi C, Vogazianos M, Argyriou A (Cyprus)
	15:25 - 15:30	Newborn hearing screening of South Korea - Oh SH, Park SK, Cho KS, Park CW (South Korea)
	15:30 - 15:35	Status of universal newborn hearing screening in Singapore - Lim SB, Daniel LM, Ho S, Joseph R, Hee K (Singapore)
	15:35 - 15:40	International Report on EHDI Programs - Brazil - Lewis DR (Brazil)
	15:40 - 15:45	Early detection and intervention for infant hearing loss in South Africa - Swanepoel DW, Störbeck C (South Africa)
	15:45 - 15:50	Universal Newborn Hearing Screening and Early Intervention in New Zealand - Tuohy PG, Rydz V (New Zealand)
15:50 - 16:00	Discussion	

16.00 - 16.30	break
---------------	-------

ROOM CARMEN

Screening - Novel Approaches

09:00 - 10:30	09:00 - 09:15	Otoacoustic emissions screening beyond 0-3: better than pure tone screening? - Foust TE, Eiserman W, Shisler L
	09:15 - 09:30	Infant-toddler hearing screening in the primary physician's office: A pilot study - Bhatia P, Mintz S, Hecht B, Kuo A
	09:30 - 09:45	OAE screening in healthcare settings: a pilot project - Foust T, Eiserman W, Shisler L
	09:45 - 10:00	Periodic Early Childhood Hearing Screening: Expanding upon the benefits of UNHS - Eiserman W, Shisler L, Foust T
	10:00 - 10:15	Community-based infant hearing screening in South Africa: Preliminary findings - Friderichs N, Swanepoel D
	10:15 - 10:30	MAGIC – interactive, self-paced pure-tone audiometry for children - Thodi C , Zoth P

10:30 - 11:00	break
---------------	-------

June 9 - ROOM CARMEN

EHDI Systems I

11:00 - 12:30	11:00 - 11:15	Tracking and quality assurance software for audiological screening - Belov OA, Yasinskaya AA, Tavartkiladze GA
	11:15 - 11:30	Exchanging NHS Data through Electronic Health Records - Eichwald J, Finitzo T, Orlova A
	11:30 - 11:45	How Continuous Quality Improvement in EHDI programs can help maintain Financial Sustainability - Ditty K, Foust T
	11:45 - 12:00	Development and evaluation of networked radio engineering in newborn hearing screening - Matulat P, Oswald H, Lepper I, Beiss Th, Schmidt C-M, Ückert F, am Zehnhoff-Dinnesen A
	12:00 - 12:15	Follow-up Database on Neonatal Hearing Screening - Schnack-Petersen R, Poulsen HB
	12:15 - 12:30	VicCHILD: the Victorian Childhood Hearing Impairment Longitudinal Databank - Dahl H, Wake M, Poulakis Z, Barker M, Hu B, Wirth K

12:30 - 13:45

lunch

Cochlear Implants

13:45 - 16:00	13:45 - 14:00	Congenital deafness and cochlear implants in children with complex needs - Vatovec J, Gros A, Geczy B
	14:00 - 14:15	Young Children Who Are Deaf-Blind With Cochlear Implants: Progress & Pitfalls - Stremel TK
	14:15 - 14:30	From diagnosis to implantation: parental experience - Salter J, Archbold S, Wheeler A, Gregory S
	14:30 - 14:45	Guidelines for transitioning young, deaf children from signing to oral educational settings following cochlear implantation - Clark T, Kammerer B
	14:45 - 15:00	Spread of Excitation function in cochlear implantation - Bakhshinyan VV, Tavartkiladze GA
	15:00 - 15:15	Neuroimaging of speech-evoked cortical responses after pediatric cochlear implantation - Sevy ABG, Bortfeld H, Huppert TJ, Beauchamp M, Tonini R, Oghalai JS
	15:15 - 15:30	Linguistic outcomes in early cochlear implanted children - Guasti MT, Papagno C, Vernice M, Cecchetto C, Giuliani A, Burdo S
	15:30 - 15:45	Rehabilitation results in children after Partial Deafness Treatment (PDT) - Zgoda M, Lorens A, Putkiewicz A, Piotrowska A, Skarzynski H
	15:45 - 16:00	Comparing bilateral and unilateral implantation in young children - Tait M, Archbold S, Nikolopoulos T, De Raeve L, Johnson S, Datta G, Karltop E, Gulpen P, van Knegsel E

16.00 - 16.30

break

June 9 - ROOM DON GIOVANNI

09:00 - 10:30	<p>Special Session</p> <p>Recommended Family Support Practice in UNHS: A Position Paper from the GPOD International Family Survey</p> <ul style="list-style-type: none"> - GPOD Session: Recommended Family Support Practice in UNHS - A Position Paper from the GPOD - International Family Survey - Cutler JM, Seaver L, Porter A, DesGeorges J, Walker P - Baby Steps: Using a Regionally Customized Roadmap to Empower Families along the Journey of Screening through Early Intervention - DesGeorges J - Encountering Emotions: Supporting Families at the Time of Identification - DesGeorges J - Guide By Your Side: The Role of Trained Parents as Peer Counselors in UNHS Follow-Through & Family Support - Seaver L - Unilateral hearing loss: perspectives of parents in an online support group - Porter A - The long term impact of the NDCS newly identified family weekends - Walker P, Dawson M
---------------	--

10:30 - 11:00	break
---------------	-------

Focus on Families

11:00 - 12:30	11:00 - 11:15	Family and parenting implications of newborn screening - Reardon G, Keenan R
	11:15 - 11:30	The role of the family-centered medical home in early hearing detection and intervention - Honigfeld L
	11:30 - 11:45	Social care - the neglected aspect of service provision for young deaf children and their families - Hunt R, Young A, Oram R, Smith C.
	11:45 - 12:00	Diagnosis: What's next? A framework for making evidence-based decisions for UNHS children diagnosed with hearing impairment - Fulcher AN, Purcell A, Baker E
	12:00 - 12:15	Parental perceptions of the social well-being of school-going children with cochlear implants: A comparative study - Van der Spuy TE, Loots, S, Pieters, J
	12:15 - 12:30	A good start: An evaluation of the follow-up of families after newborn hearing screening - Laugen NJ, Heian A, Wennberg S, Spjøtvold A

12:30 - 13:45	lunch
---------------	-------

June 9 - ROOM DON GIOVANNI

Technology Update

13:45 - 16:00	13:45 - 14:00	Validation of a new handheld OAE-AABR device for a Newborn Hearing Screening - Indermark A, Neumann K
	14:00 - 14:15	Young children switched on with HiRes 120@: preliminary results of a multicentre evaluation - Niemczyk S, Akhmetshin, Attias J, Kameswaran M, Vaid N, Neumann K, Cervera J, Sainz M, Arweiler-Harbeck D, Ernst A, Jones J, Mathias N
	14:15 - 14:30	SoundRecover – Significant benefits for children - Nyffeler M
	14:30 - 14:45	Precision in the paediatric hearing aid fitting - Roikjer M, Schmidt E
	14:45 - 15:00	Family centred habilitation including musical activities for young CI users - Kosaner J, Kilinc A, Deniz M
	15:00 - 15:15	How to verify Audibility in Early Amplification of infants! - Baumann M
	15:15 - 15:30	Paediatric counselling using PC-based counselling tools and Visible Speech Mapping - Løye Samsson M, Fugholt ML
	15:30 - 15:45	Applying extended bandwidth and binaural broadband technology in paediatric fittings - Fugholt ML
	15:45 - 16:00	Pediatric Fitting using the Percentile Analysis - Spitzlei V, Chalupper J
16.00 - 16.30	break	

June 9 - ROOM ERNANI

09:00 - 10:30	UK NHSP WORKSHOPS Delivering an effective screening programme: the practical challenges and measures of success in early hearing aid fitting
10:30 - 11:00	break
11:00 - 12:30	UK NHSP WORKSHOPS Delivering an effective screening programme: ABR interpretation and quality assurance mechanisms
12:30 - 13:45	lunch

June 9 - ROOM ERNANI

13:45 - 15:00	UK NHSP WORKSHOPS Delivering an effective screening programme: how good are your screeners?
15:00 - 16:00	UK NHSP WORKSHOPS Delivering an effective screening programme: risks and failsafes

16.00 - 16.30	break
---------------	-------

Thursday, June 10

June 10 - ROOM AIDA

Auditory Neuropathy

09:00 - 10:30	09:00 - 09:15	Recommendations for the “Guidelines Development Conference on Identification and Management of Infants and Young Children Auditory Neuropathy” - Hayes D
	09:15 - 09:30	The Use of FM Devices in Listeners with Auditory Neuropathy Spectrum Disorder - Rance G, Du Bourg E, Corben L, King A, Delatycki M
	09:30 - 09:45	Early cochlear implantation and auditory development variants - Tani A, Patelli I
	09:45 - 10:00	Delayed maturation of the auditory pathways as potential source of mistakes in the diagnostics of hearing loss in neonates - Verhaegen K, Zarowski A, Verstraeten N, Schatteman I, Verstreken M, Vandeputte Ch, Offeciers E
	10:00 - 10:15	Clinical follow-up and outcomes of six children with Auditory Neuropathy - Haaksma-Schaafsma SC, Maat A, Free RH, Coster FW, Van Dijk P
	10:15 - 10:30	Auditory neuropathy in high risk neonates - El-Badry MM, Samy HM

10:30 - 11:00	break
---------------	-------

June 10 - ROOM AIDA

Cortical Evoked Potentials

11:00 - 12:00	11:00 - 11:15	Slow cortical potential (N1-P2) measures of amplification - Stapells DR, Marynewich SL, Jenstad LM
	11:15 - 11:30	The mismatch negativity (MMN) in determining central auditory function in newborns and infants - Näätänen R
	11:30 - 11:45	Refractory period effects on cortical auditory evoked potentials in babies - Sharma M, Norman F, Johnson P, Purdy SC
	11:45 - 12:00	Using cortical responses to evaluate speech detection in infants - Van Dun B, Brown L, Carter L, Clinch B, Dillon H, Freeston K, Schwarz D, Seymour J, Whitehead C

New Techniques

12:00 - 13:00	12:00 - 12:15	Comparison of a Novel Screening Protocol to AABR for the Differentiation of Type of Hearing Loss in Neonatal Intensive Care Unit (NICU) Infants - Shahnaz N, Douglas C, Millman T, Usher L
	12:15 - 12:30	Rapid hearing testing using increasing frequency swept-tone generated TEOAEs - Özdamar O, Bennett C
	12:30 - 12:45	Outcomes for transient otoacoustic emissions and tympanometry in infants - Lewis DR
	12:45 - 13:00	Eye tracking for establishing hearing thresholds in infants – evaluation of a new methodology - Uhlén I, Sköld B, Shwartz I-C, Lacerda F, Mattsson L

13.00

end

June 10 - ROOM BOHEME

Child Outcomes

09:00 - 10:30	09:00 - 09:15	Population outcomes and cost-effectiveness of universal newborn hearing versus risk factor screening at age 5 years: Preliminary findings - Wake M, Ching T, Gold L, Poulakis Z, Rickards F, Reilly S, Wirth K
	09:15 - 09:30	Sound beginnings: Variables affecting speech directed to infants and toddlers with auditory impairment in English- and Spanish-speaking families - Morrison HM, Lopez LG, Laswell D
	09:30 - 09:45	Articulation in profoundly deaf children with cochlear implants and hearing aids - Slavnić S, Mikić B, Maletić I
	09:45 - 10:00	What is the quality of speech outcomes of infants diagnosed with deafness at birth? - Fulcher AN, Purcell A, Baker E
	10:00 - 10:15	Effects of intervention in young children with moderate hearing impairments - Dirks E, Uilenburg N, Kriens T, van der Zee R
	10:15 - 10:30	Speech perception by profoundly hearing-impaired children: The role of persian Cued Speech - Movallali G, Malakooti B

10:30 - 11:00

break

June 10 - ROOM BOHEME

11:00 - 11:30	Special Session "She'll Hear the Music Like the Other Girls, Right?" Audiologic Counseling, or When NOT to Answer a Question - English K	
Professional Training and Support		
11.30 - 13:00	11:30 - 11:45	The Compelling Need for Pediatric Audiology Training Emphasizing Family-Centered Care, Leadership Skills, and Interdisciplinary - Beggs K, Forsman I, Sabo D, Jesien G
	11:45 - 12:00	PORA! A new program for Russian speaking therapists and parents ONLINE! - Lehnhardt M, Goriany M
	12:00 - 12:15	The Newborn Hearing Screening Training Curriculum - Winston R, Ditty K, Olsen L, Sabo D, Hesley M
	12:15 - 12:30	Setting up a site support helpdesk - an innovative way of supporting Newborn Hearing Screening Programmes that has a positive impact on programme performance - Atty G
	12:30 - 12:45	TeleAudiology Taking Diagnostics to the Infant - Froelich T, Peterson S, Scharpe N
	12:45 - 13:00	Newborn Hearing screening: Partnership with Families in Action: Challenges to practitioner training and skills - Lewis S, Groves G, Tucker I

June 10 - ROOM CARMEN

09:00 - 10:30	Special Session Mind the Gap: from Screening to Cochlear Implantation Co-chairs: Gerard M O'Donoghue and Adrian Davis	
10:30 - 11:00	break	
11.00 - 13:00	EFAS General Assembly	

June 10 - ROOM DON GIOVANNI

Early Intervention

09:00 - 10:30	09:00 - 09:15	Do you hear me? Considering evidence of family-centred, strengths-based practice in the provision of early intervention for deaf children and their families - Lindy A
	09:15 - 09:30	Parents views of services: deaf children with complex needs - McCracken W, Turner O
	09:30 - 09:45	Family-focused model of experientially informed, web-based resources - Kammerer B, Clark T
	09:45 - 10:00	Learning to Listen – An Interactive CD for babies and toddlers and their parents - Heian A, Stangvik AK
	10:00 - 10:15	Considering the options: a case study on developing the whole child w/ a cochlear implant - Engler K
	10:15 - 10:30	Evaluating the implementing of an Early Intervention Programme in South Africa - Störbeck C

10:30 - 11:00

break

EHDI Systems II

11:00 - 13:00	11:00 - 11:15	Barriers and Possible Solutions Related to Lost to Follow-up - Holstrum WJ, Gaffney M, Chung W, Gaffney C
	11:15 - 11:30	Reviewing False Negative Screens – the “unexpected results” protocol from Victoria, Australia - Poulakis Z, Barker M
	11:30 - 11:45	Novel Approach in Studying Follow-Up Facility Distribution in the US after a Failed Hearing Screening Result - Chung W, Mason C, Tu S, Sriram B, Eichwald J
	11:45 - 12:00	Risk management for screening programs: applications to newborn hearing screening - Denny S, Poulakis Z, Barker M
	12:00 - 12:15	National database for Hearing Impaired Babies - the importance and the challenges - Minchom S
	12:15 - 12:30	Computerized Data Management System for Universal Newborn Hearing Screening Program - Asma A, Muhammad Farhan MA, Almyzan A, Abdul Muiz M, Wan Fazlina WH, Borhan L, Wan Norliana A, Jamilah AG, Roslin S, Mastura AR, Mazita A, Goh BS, Saim L, Sima M, Suzana MH,
	12:30 - 12:45	Newborn Hearing Screening (NHS) Protocols – A Closer Look - Barker M, Glennon S, Kaplan B, Kethel L, Mitchell B, O’Hollearn T, Poulakis Z, Vaughan L
	12:45 - 13:00	Pitfalls in setting up or changing a newborn hearing screening service. The “Do s” and “Do not s”- Hendricks S

June 10 - ROOM ERNANI

09:00 - 10:30

UK NHSP WORKSHOPS

Delivering an effective screening programme: the medical management of early identified infants with hearing loss

10:30 - 11:00

break

11:00 - 13:00

UK NHSP WORKSHOPS

Delivering an effective screening programme: measuring quality throughout the full care pathway – safety, effectiveness and the parent experience

Poster Session
June 9 - 16:30 - 18:00

EHDI protocols and technologies	
1	Comparison of two hearing screening programs in the same population: Oto-Acoustic Emissions (OAE) in newborns and behavioral screening in infants - Geal-Dor M, Adelman C, Levi H, Zentner G, Stein-Zamir C
2	Otoacoustic emissions or automated ABR? Just both - Sequi Canet JM, Lorente Mayor L
3	MB11 BERAPhone® compared to ALGOTMportable hearing screening in a Dutch NICU - van den Berg E, Deiman C, van Straaten HLM
4	Automatic Auditory Brainstem Response (AABR) in Neonatal Hearing Screening - Li Xiao-lu, Lu Ling, Xu Jing, Han Shu-ping, Tong Mei-ling
5	Early Detection of Newborn Hearing Loss: A New Protocol - Abdi S
6	Use of ABR by paraprofessionals in the home for follow up diagnostic testing of lost to follow-up newborns - DiSarno N, Grbac K
7	A good start: Requirements and benefits of a multidisciplinary hearing screening follow-op programme - Lindegaard MW, Hansen R, Høst E, Wetke R
8	The role of universal newborn hearing screening in identifying infants with asymptomatic congenital cytomegalovirus - Ari-Even Roth D, Kuint J, Morag I, Hamburger A, Kandelshine O, Hildesheimer M
9	Consumer and stakeholders vital role in an universal newborn hearing screening programme. Learning from others - Deken A, Patterson J
10	Newborn Hearing Screening on NICU preterm and term neonates using an AABR device (MB 11 BERAPhone®, MAICO-Diagnostics) - Müller-Mazzotta J, Hanschmann H, Zemlin M, Berger R

Surveys on EHDI programs	
11	Newborn hearing screening and genetic testing for deafness in Pakistani infants - Riazuddin S, Brown DK, Ahmed ZM, Khan SN, Akram J, Riazuddin S
12	Newborn hearing screening (NHS) in Korea: the 2nd national pilot study - Park SK, Cho KS, Oh SH
13	University program in network of screening hearing of the newborn child and adolescent, Cordoba, Argentina - Curet C, Reynoso R, Barteik ME, Moreno Barral J, Schäeffer H, Barmat G, Tulián L, Martín M, Pavlik M, Biononi C, Hinalaf M, Serra
14	Newborn and toddler hearing screening in a Romanian Medical Home - Ács B, Oros M, Pascu A, Anca I, Momarla C, Filipascu R

Poster Session
June 9 - 16:30 - 18:00

15	Loss to follow up: data from the Newborn Hearing Screening in England - Wood SA
15bis	Are surveillance programs justified? The results from three tertiary hospitals in Queensland - Beswick R, Driscoll C, Kei J, Glennon S
16	The investigation of the current status of the early newborn hearing screening in Wenzhou City - Sainan X, Yifei Z, Xifu L, Dongping Z, Yufen X
17	Singapore National University Hospital's Universal Newborn Hearing Screening Program and Speech & Language Outcomes - Chin EL, Lim HYL, Kek TL, Ng PG
18	Community Based Neonatal Hearing Screening - Shupak A, Kaminer M
19	Neonatal hearing screening with OAE/AABR: results about more than 15000 newborns in 9 years - Varisco T, Arlati S, Urbano M, Verdura C, Bottigelli M, Casati O, Besana R, Brambilla D, Benicchio V, Spreafico E, Comiotto E
20	Universal newborn hearing screening in the Catholic University of the Sacred Heart in Rome: our experience and preliminary data - Giannantonio S, Picciotti PM, Frezza S, Giglia V, Liberati L, Martina BM, Papacci P, Semeraro CM, Conti G
21	Newborn Hearing Screening Northern Ireland – The Current State - Rao T, Nadig S, Toner JC
22	Results of neonatal hearing screening in a brazilian public hospital - Soares JC , Romano-Soares S, Pivato T, Malissano CB, Martins DS
23	Universal newborn hearing screening in the municipal maternities in a northeastern town in Brazil. Experienced gained from the first 1 ½ years - Hannalice GH, Souto G, Santiago F, Cavalcanti J
23bis	Analysis of the evolution of the implementation of Program Universal Newborn Hearing Screening - Assuiti LFC, Bissani C, Pinheiro MMC, Meirelles BHS
24	Universal newborn hearing screen in detecting early hearing loss in Downs Syndrome children - Mohd Zabri Affendi bin Muhamad, Asma binti Abdullah, Mazita binti Ami, Shareena binti Ishak
25	Central documentation of UNHS results in the Tyrol, Austria - Stephan K, Oberaigner W, Nekahm-Heis D
26	Universal newborn hearing screening in the Republic of Macedonia - Chakar M, Femikj N, Popovski V
27	The successful hearing screening of 100,237 newborns in Singapore - Daniel LM, Hee K, Yeoh A, Tan H, Lim SB
28	Community Hearing Outreach Project at a primary school in a South African Township - Rees L, Venter CE
29	A retrospective study of universal newborn hearing screening in Shanghai in recent six years - Li Y, Wu H

Poster Session
June 9 - 16:30 - 18:00

30	Wyoming EHDI hearing health care tracking and surveillance database birth through five years - Pajak N, Fitzgerald S
31	What NHS Programs Can Offer Second Tier Hearing Screening Programs - Eiserman W, Shisler L, Foust T, Behl D
32	Newborn Hearing Screening and Early Intervention Programs for the past 10 years: How are the babies, pre-teens, and their families doing? - Levy CCAC, Felix MFMM
33	From Suspicion to intervention in deafness: characterization of this process in the Campinas/São Paulo/Brazil Region Sígolo C, Lacerda CBF
34	Structures for Early Hearing Detection and Intervention (EHDI) – Programs in Germany - am Zehnhoff-Dinnesen A, Matulat P, Nennstiel-Ratzel U, Böttcher P, Pöttsch S, Praetorius M, Schönweiler R, Neumann K
35	Sounds of Dreams. National Programme for the Rehabilitation of Children with Hearing Defects - Czartoryska J
36	Bilateral auditory canal Atresia: the benefit of early intervention - Montino S, De Benedittis M, Morando C, Lora L, Tsilikas K, Babighian G, Orzan E
37	The early hearing detection and intervention strategies for infants with hearing loss - Li Y, Wu H
37bis	The potential impact of ambient noise and race on EHDI programs in developing countries - Olusanya BO
38	Early Intervention for children with Auditory Neuropathy Spectrum Disorder in a developing country - Van der Spuy TE
39	Audiology information tracking and management in South Africa - Moodley S
39bis	Audiological Information Used for Pediatric Hearing Aid Fitting in South Africa - Moodley S, Grimshaw L
40	First hearing screening results Healthy Hearing - Special Olympics Romania - Georgescu M, Cernea M
41	Hearing screening in primary school students in Sumaré city - Colella-Santos MF, Moraes CS
41bis	Results of a up to 6 years follow-up of children with CMV seroconversion during pregnancy - Royackers L, Desloovere C, Debruyne F

Poster Session
June 9 - 16:30 - 18:00

Technology Update	
42	Factors Affecting Screening Time and Rates of Referral in Automatic ABR and Solutions to Improve Performance - Kurtz I, Steinman AH, Stepanov S
43	Optimizing the paediatric fitting flow - Fugholt ML
44	Implementation of a Nationwide Newborn Hearing Screening Program using SmartScreener-Plus2 - Delgado RE, Lim BG
45	What level of noise is needed to mask the newborn non-test ear during ABR? Introducing the UK NHSP noise calculator - Lightfoot G
46	Follow-up of NHS: A possible new protocol of ABR-diagnostics in infants by use of CHIRP-signals - Baumann M
47	Hearing screening in children using DPOAEs and interactive, self-paced behavioural pure-tone thresholds - Bohnert A, Schirkonyer V, Keilmann A, Janssen T
48	Evaluation of the Vivosonic Integrity Device for Auditory Brainstem Response Measurement - Gerhart M, Hall III JW, Black A
49	AEP and OAE Simulator for Newborn Hearing Screening Training - Delgado RE, Popelka G, Yavuz E, Lopez CN
50	Responsive technology in rehabilitation of children with cochlear implant - Rega A

Hearing loss	
51	Psychosocial impact of hearing loss versus chemotherapy - Levy CCAC, Miguel JHS
52	Unilateral hearing loss in children: some interim findings of a longitudinal prospective study - Pupo A, Balieiro C, Barzaghi L
53	Etiological investigation of deaf in a program of Universal Newborn Hearing Screening in Brazil - Costa KC, Pereira T, Pomilio MAC, Sartorato EL
54	Neuronal plasticity and stability: a new concept in neurobiology - Gamba P

Poster Session
June 9 - 16:30 - 18:00

Diagnostic evaluation	
56	The high prevalence of otitis media with effusion in children with cleft lip and palate as compared to children without clefts - Flynn T, Möller C, Jönsson R, Lohmander A
57	An evaluation of behavioural assessment of eligible babies in Wales, following newborn hearing screening - English EM, Minchom S
58	The development of a new speech perception test for deaf children in the UK: WHISPA – The Wales (Hearing Impairment) Speech Perception Assessment - Patten S
59	Challenging the evidence base of present speech perception tests for deaf children in the UK: Do they do what they say on the tin!? - Patten S
60	Guidelines for identification, diagnosis and early intervention in hearing impaired children with Autism Spectrum Disorder - Charlton MP
61	Audiology characteristics of newborn with hyperbilirubinemia - Wang J, Han D-M, Huang L-H, Liu B, Mo L-Y, Zhang H
62	Etiological investigation of deaf in a program of Universal Newborn Hearing Screening in Brazil - Costa KC, Pereira T, Pomilio MAC, Sartorato EL
63	Otoacoustic emissions and acoustic immitance measurements using 226 Hz and 1000 Hz probe tones in neonates - Colella-Santos MF, Tazinazzio TG, Diniz TA, Marba STM
64	Temporal Resolution: performance of scholar children in the GIN test – Gaps-in-noise - Amaral MIR, Colella-Santos MFC
65	Youths: portable music players and auditory system - Couto CM, Santos I
66	Can we predict the definite hearing loss of a child from the first audiological assessment after neonatal hearing screening? - Toll MS , Willis-Lorrier RMS, Brocaar MP, Homans NC, Verschuure J
67	Audiological and genetic studies of high-risk infants - Colella-Santos MF, Françoço MFC, Lima MCP, Couto CM, Rossi T, Tazinazzio TG, Castilho AM, Sartorato EL
68	MLPA technique: An alternative for genetic screening in newborn with hearing loss - Marques-de-Faria AP, Silva-Costa SM, Lincoln-de-Carvalho CR, Sartorato EL
69	A case of steeply sloping cochlear hearing loss with cochlear microphonics - Côrtes-Andrade IC, Almeida MG, Rodrigues GRI, Pessoa AN, Lewis DR

Poster Session
June 9 - 16:30 - 18:00

Evoked potentials	
70	Notched-noise ABR for frequency specific hearing threshold estimation - Dršata J, Školoudík L, Vokurka J, Čelakovský P
71	Auditory brainstem response: pattern of responses in premature infants without risk factors for hearing loss - Casali RL, Colella-Santos MF
72	Electrophysiological auditory response in term and premature infants for clicks on high, medium and low intensity levels - Casali RL, Colella-Santos MF
73	Auditory brainstem response: influence of auditory system maturation - Casali RL, Colella-Santos MF
74	How well do ABR thresholds in newborns predict behavioral thresholds at 12-18 months? - Uhlén I, Westling B, Jonsson U, Geng R
75	The British Columbia Early Hearing Program (BCEHP) tone-evoked ABR protocol: How long do infants sleep, and how much information can be obtained in one appointment? - Janssen R, Usher L, Stapells DR

Hearing aids	
76	Fitting Strategies for infants and toddlers with hearing loss - Li Y, Wu H
77	Considerations in the verification of extended bandwidth hearing instruments in children - Løye Samsson M, Roslyng-Jensen M
78	Evaluation of the Effectiveness of Initial Hearing Aid Fitting in Infants Using Cortical Auditory Evoked Potentials - Chang H-W, Dillon H, Carter L, Young S-T
79	Hearing aids: Validation of the Brazilian version of the Listening Situations Questionnaire (LSQ) for deaf children - Carvalho LRL, Couto MIV, Lichtig I
80	Dead regions of the cochlea and hearing aid benefit: a study in a group of children - Nakamura MY, Almeida K

Poster Session
June 9 - 16:30 - 18:00

Cochlear Implants	
82	Hearing, speech and language development in children with cochlear implant - Narancic V, Nikolic SV
83	High homogeneity in auditory outcome of pediatric CI-patients with mutations in Gap-Junction-Protein Beta2 - Gürtler N, Reinert J
84	Speech status in children with cochlear implant - Sokolovac I, Slavnić S, Komazec Z, Lemajić-Komazec S
85	Cochlear Implant: from a medical to a socio-cultural perspective - Foa V, Varuzza C, Fontana S, Zuccalà A
86	Application of health-related quality of life instrument for adults in 15 teens with cochlear implants: short version of NCIQ questionnaire - Andric Filipovic S, Mikic B, Ostojic S, Miric D
86bis	Simultaneous Cochlear Implantation in Children under 12 months - Rushbrooke E, Brown J, McGovern J, Atkinson B, Close L, Comas N

Speech and Language	
87	Parental observation as an effective assessment method for early speech and language development - Brachmaier J, Kosaner J, Schramm B
87bis	Social Skills Programs for Hearing Impaired Children - Rushbrooke E, Brown J, Black J, Claridge R, Comas N, Close L
88	Use of EDU- Link systems in therapy of children with dyslexia and developmental dysphasia - Boyanova V, Stankova M, Kamenski T, Ignatova A
89	Evaluation of the LittEARS® Early Speech Production Questionnaire (LEESPQ) - Schramm B, Brachmaier J, Keilmann A
90	The Specificity of Sign Language and Verbal Expression in Deaf and Hard of Hearing Preschool Aged Children - Dimic N, Kovacevic T, Isakovic Lj, Nestorov S
91	Implementation of the MacArthur Communicative Development Inventory as a language-outcome measure in a national newborn hearing screening programme - Shepherd M
92	Perception and production of Brazilian Portuguese stop consonants by hearing impaired subjects: a study of the voicing contrast - Barzaghi L, Madureira S, Pupo A
93	Translation and validation of the Polish version of the LittEars questionnaire - Obrycka A, Padilla JL, Pankowska A, Lorens A, Skarzyński H

Poster Session
June 9 - 16:30 - 18:00

94	Use of the LittleEARS Auditory Questionnaire in Canada: Pilot Normative Data and Informative Cases - Bagatto M, Moodie S, Brown C, Malandrino A, Keene K, Seewald R, Richert F, Scollie S
95	Coninx F, Fischbach T, Hildmann A Second Hearing Screening at 12 Months – using the littleEARS® Parent Questionnaire -
96	Auditory perception progress in cochlear implantees - Ostojić S, Mikić B, Andrić S, Arsović N, Mikić M
97	Intervention, speech development and cochlear implant: analysis of vocal quality and dynamics based on acoustic findings - Pessoa AN , Mendes BCA

Professional training and support

98	Attitude and Knowledge of Hearing Loss among Medical Doctors Selected to Initiate a Residency in Mexico - Lopez L, Berruecos P, Cacho J
99	Children with hearing loss and literacy development: are pediatric audiologists helping parents understand the “hearing-listening-reading” connection? - Snyder J, English K
100	Evaluation of service provision in Wales for babies identified with Auditory Neuropathy Spectrum Disorder following newborn hearing screening - Roberts AJ, Minchom S
101	Attitudes Towards Audiological Counselling in Australia - Summons R
102	Evaluation of Knowledge Health Worker Interference with Hearing Screening Infant and Child - Asti W
103	UNHSEIP screener training in New Zealand - Dwyer CH, O’Beirne GA, Moran C, Looi V, Grady JM, Chirnside D
104	CARE project: pre-service training of speech-language pathologists & audiologists to facilitate family empowerment - Chase P
105	Training physicians to implement infant-toddler hearing screening in the medical home - Mintz S, Bhatia P, Hecht B
106	Empowering families, embracing choice, and educating providers: Workshops enveloping the comprehensive approach - Oswald J, Engler K
107	Training of community health workers in hearing health by Videoconferencing: one experience in Brazil - Alvarenga KF, Melo TM

Poster Session
June 9 - 16:30 - 18:00

Focus on Families	
108	The Quest of Families with a Hearing Handicapped Child Toward Diagnosis and Intervention in Mexico - Lopez L, Osorio J
109	Knowledge level about hearing loss and its consequences in the general population - Cubells JM, Crespo N, Monclús S, Prats N, Salas T
110	Global Coalition of Parents of Deaf/Hard of Hearing Children (GPOD) - Porter P, Cutler JM, Seaver L, Walker P, DesGeorges J
111	The Italian Pediatric Newborn Hearing Screening Network Model: A Global Collaboration between Parents and Medical Professionals (GPOD) - Cutler JM
112	Parenting a Deaf Child Course - Dawson M, Raja R
113	All Together - Copenhagen V, Dawson M
114	Deaf children's parents expectations - Levy CCAC, Abud NCB
115	New considerations for family identity with deaf children - Levy CCAC, Caporali P, Miguel JHS
116	Bilingual intervention: parents' perception of changes in communication with their deaf children - Marquez AHY, Lichtig I
117	Parent satisfaction with a neonatal hearing screening program - Mazlan R, Hickson L, Driscoll C